

Run

Table of contents

1 Start simBio_JavaSpaces.....	2
1.1 Start RemoteClient.....	2
1.2 Start simBio_JavaSpaces servers.....	2
1.3 Start simBio_JavaSpaces workers.....	2
1.4 Start http server.....	3
2 Run model in simBio_JavaSpaces.....	3
2.1 Run model in simBio_JavaSpaces from the simBio binary release package.....	4
2.2 Run model in simBio_JavaSpaces with the simBio Eclipse plug-in.....	4
3 Shutdown simBio_JavaSpaces.....	4
3.1 Shutdown simBio_JavaSpaces workers.....	4
3.2 Shutdown simBio_JavaSpaces servers.....	5
3.3 Shutdown http server.....	5
3.4 Shutdown RemoteClient.....	5
4 Start using simBio_JavaSpaces.....	5

1. Start simBio_JavaSpaces

The start order for the system is shown below.

1. A protocol XML file for sensitivity analysis is processed on a client alone to confirm the efficacy. Duration and repeat times of calculation can be decreased at this stage.
2. A JavaSpaces server is started.
3. Workers are started.
4. An http class server is started.
5. The protocol XML is executed with an option to use distributed computing.
6. Graphs will be presented right after computation.

Client, and each server of Javaspaces, simBio, and http can be run on separate computers or on the same PC. The client and the http server are typically executed on the same PC.

1.1. Start RemoteClient

If the RemoteClient will be used start it by following the instruction, [Start RemoteClient](#).

1.2. Start simBio_JavaSpaces servers

To start the simBio_JavaSpaces servers run the DOS batch file startJavaSpaces.bat or the UNIX/LINUX Shell Script startJavaSpaces.sh depending on which operating systems the server is running on.

After a short time a window with similar look as the figure shown below will appear. A cursor will flash on the next line.

1.3. Start simBio_JavaSpaces workers

simBio_JavaSpaces workers can be started in two different way. One which require that the user visit all computers acting as workers and another that makes it possible to start all workers in one single command.

1.3.1. Start simBio_JavaSpaces workers Local

To start the simBio_JavaSpaces workers local, run the DOS batch file startWorker.bat or the UNIX/LINUX Shell Script startWorker.sh depending on which operating systems the workers are running on.

After a short time blue windows with similar look as the figure shown below will appear. A cursor will flash on the next line.

1.3.2. Start simBio_JavaSpaces workers Remote

Start CommandServers

Run

First verify that the CommandServers are already started on the simBio_JavaSpaces workers before continuing. The CommandServers should have a similar look as the figure below show.

To start the simBio_JavaSpaces workers remote use the [RemoteClient's start command](#).

No simBio_JavaSpaces worker window

When using the CommandServers together with the RemoteClient the simBio_JavaSpaces worker window (see figure 2 above) will not appear.

1.4. Start http server

To start the http server, run the DOS batch file httpd.bat or the UNIX/LINUX Shell Script httpd.sh depending on which operating systems the http server is running on.

After a short time a window with similar look as the figure shown below will appear. A cursor will flash on the next line.

2. Run model in simBio_JavaSpaces

Use simBio binary release package

If the simBio binary release package is used, please go to [Run model in simBio_JavaSpaces from the simBio binary release package](#) to read about the configuration settings that differ from the instructions below.

Now when everything are up and running it is time to run a model in simBio_JavaSpaces. For this example, we will use the model NCXvsCaL found in the simBio project at src/xml/sarai_et_al_2006/figure/3A_NCXvsCaL.xml.

First verify that the protocol XML-file has been adjusted for the system. [Change the ServiceURL and Codebase so it fits your system](#).

To run the model, choose the menu [Run] -> [Open Run Dialog...] in Eclipse. In the run dialog choose to create a [New launch configuration] of the type [Java Application] and give the new configuration a name.

In the Main tab set Project to **JavaSpacesClient** and the Main class to **org.simBio.JSEntry** as the figure below shows. The settings may be different depending on Eclipse version. This is how it is done in Eclipse Europa (3.3).

In the Arguments Tab set Program arguments to **your e-mail** followed by **model path** and VM arguments to **-Djava.security.policy=policy.all** as the figure below show. The settings may be different depending on Eclipse version. This is how it is done in Eclipse Europa (3.3).

Model path

Note that the path for the model starts with **../simBio** in this example, because the model and the simBio_JavaSpacesClient project differ.

The simBio_JavaSpaces workers will now use the Codebase to search for the code to execute. The http

server will log this in a similar way as the figure shown below.

During the calculation `simBio_JavaSpacesClient` will collect calculated XML-files from the workers in the folder `baseDir\xmlDir`. When the calculation finish a CSV-file and a Toc-file will be generated according to the tags `baseDir\csvFile` and `baseDir\xmlFile`. Finally a plot will appear which use the settings that are read from the settings attribute for the evaluated variables. See [generate](#) and [evaluate](#) for more information.

The figure below show the expected contour plot for Sarai et al 2006 Fig 3A (NCXvsCaL).

CAUTION!

When this XML-file is executed, assuming that 14 PC worked as a calculation server, approximately 3 hours is required to finish.

2.1. Run model in `simBio_JavaSpaces` from the `simBio` binary release package

If the binary release package of `simBio` is used then must Project in figure 5 (Run - Main Tab) be set to **simBio**. The box **Include system libraries when searching for a main class** must also be checked to find the Main class **org.simBio.JSEntry**.

For the example above, the path for the model NCXvsCaL is found in the `simBio` project at `xml/sarai_et_al_2006/figure/3A_NCXvsCaL.xml`. Therefore in figure 6 (Run - Arguments Tab), Program arguments for the **model path** should be set to **xml/sarai_et_al_2006/figure/3A_NCXvsCaL.xml**.

2.2. Run model in `simBio_JavaSpaces` with the `simBio` Eclipse plug-in

If the binary release package of `simBio` is used or if a private `simBio` project is used then it is possible to start executing a model in `simBio_JavaSpaces` by first selecting a XML-file and then open the pop-up menu [`simBio`]->[Run model on JavaSpaces].

The default e-mail address that will be used is `email@address.com`. This can however be configured by creating a file with the name **simBio-plugin.properties** in the rootpath of the running project. The file should contain the key **EMAIL**, as shown in the example below.

```
EMAIL=user@sim-bio.org
```

3. Shutdown `simBio_JavaSpaces`

The system has no shutdown order.

3.1. Shutdown `simBio_JavaSpaces` workers

`simBio_JavaSpaces` workers can be shutdown in two different way. One which require the user to visit all computers acting as workers and another that makes it possible to shutdown all workers in one single command.

Run

3.1.1. Shutdown simBio_JavaSpaces workers Local

To shutdown the simBio_JavaSpaces workers locally run the DOS batch file stopWorker.bat or the UNIX/LINUX Shell Script stopWorker.sh depending on which operating systems the workers are running on.

A green window with similar look as the figure below will appear and after a short time both the green and blue windows will disappear.

3.1.2. Shutdown simBio_JavaSpaces workers Remote

To shutdown the simBio_JavaSpaces workers remote use the [RemoteClient's shutdown command](#).

Shutdown CommandServers

It is not necessary to shutdown the CommandServers, however this is done by visiting the computers locally and press Ctrl+c when the CommandServers window is active.

3.2. Shutdown simBio_JavaSpaces servers

To shutdown the simBio_JavaSpaces servers, press Ctrl+c when the window is active.

3.3. Shutdown http server

To shutdown the http server press Ctrl+c when the window is active.

3.4. Shutdown RemoteClient

If the RemoteClient was used, shut it down by following the instruction, [RemoteClient's exit command](#).

4. Start using simBio_JavaSpaces

Now it is time to create a private project and start using simBio_JavaSpaces, follow the instruction [Create a private project](#) to do this, enjoy.